

So.Lux 7233

Version number: SDSCH 1.0

Date of compilation: 2025-03-04

SECTION 1: Identification

1.1 Product identifier

Trade name **So.Lux 7233**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector(s) of use Welding and soldering products (with flux coatings or flux cores), flux products
Industrial uses
Professional uses
Welding and soldering product

Product category/ies laboratory chemicals

Process category industrial use of substances in closed systems
use in batch and other process (synthesis) where opportunity for exposure arises
mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact)
transfer of substance or preparation (charging/discharging) from/to vessels/large containers at facilities
roller application or brushing
production of preparations or articles by tableting, compression, extrusion, pelletisation
low energy manipulation of substances bound in materials and/or articles
open processing and transfer operations with minerals/metals at elevated temperature
handling of solid inorganic substances at ambient temperature

Environmental release category/ies industrial use resulting in manufacture of another substance (use of intermediates)
industrial use resulting in inclusion into or onto a matrix

Uses advised against Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

C. HAFNER & HILDERBRAND SA
Route de la Galaise 11b
1228 Plan-les-Ouates Switzerland

Telephone: +41 22 349 00 24
e-Mail: Quality@hilderbrand.ch
Website: www.hilderbrand.ch

e-Mail quality@hilderbrand.ch

1.4 Emergency telephone number

Emergency information service This number is only for medical emergencies

Opening hours 24h/24h 7/7

| Poison center | | | | |
|---------------|--|-----------------------|----------------|--|
| Country | Name | Postal code/city | Telephone | Website |
| United States | California Poison Control System San Francisco Division | 94110 San Francisco | 1 800 222 1222 | https://calpoison.org/ |
| United States | Drug and Poison Information Center | 45229-3026 Cincinnati | 1 800 222 1222 | https://www.cincinnatichildrens.org/ser- |

So.Lux 7233

Version number: SDSCH 1.0

Date of compilation: 2025-03-04

| Poison center | | | | |
|---------------|--|----------------------|----------------|---|
| Country | Name | Postal code/city | Telephone | Website |
| | | | | vice/d/dpic |
| United States | Florida/USVI Poison Information Center | Jacksonville | 1 800 222 1222 | |
| United States | National Capital Poison Center | Washington | 1 800 222 1222 | https://www.poison.org/ |
| United States | Northern New England Poison Center | 4102 Portland | 1 800 222 1222 | https://www.nnepc.org/ |
| United States | Texas Panhandle Poison Center | 79106 Amarillo | 1 800 222 1222 | https://www.poison-control.org/home/ |
| United States | Utah Poison Control Center | 84112 Salt Lake City | 1 800 222 1222 | https://poisoncontrol.utah.edu/ |

1.5 Additional relevant and available information there is no additional information

1.6 Remarks there is no additional information

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

| Section | Hazard class | Category | Hazard class and category | Hazard statement |
|---------|-----------------------|----------|---------------------------|------------------|
| A.6 | carcinogenicity | 1A | Carc. 1A | H350 |
| A.7 | reproductive toxicity | 1B | Repr. 1B | H360FD |

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS08



- Hazard statements

H350

May cause cancer.

H360FD

May damage fertility. May damage the unborn child.

- Precautionary statements

P202

Do not handle until all safety precautions have been read and understood.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313

If exposed or concerned: Get medical advice/attention.

P405

Store locked up.

P501

Dispose of contents/container to industrial combustion plant.

- Hazardous ingredients for labelling

Boric acid

So.Lux 7233

Version number: SDSCH 1.0

Date of compilation: 2025-03-04

2.3 Other hazards

Material intended for fusion. During melting, it can produce noxious fumes if inhaled. May produce: pulmonary edema, irritation of the mucous membranes of the nose and throat.

Hazards not otherwise classified

May be harmful in contact with skin (GHS category 5: acutely toxic - dermal).

Very toxic to aquatic life with long lasting effects (GHS category 1: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Contains an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description of the mixture

| Hazardous ingredients acc. to GHS | | | | |
|-----------------------------------|----------------------|-----------|--|------------|
| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms |
| White Mineral Oil | CAS No 8042-47-5 | 10 - < 25 | Asp. Tox. 1 / H304 | |
| Copper | CAS No 7440-50-8 | 10 - < 25 | Acute Tox. 3 / H301 Acute Tox. 4 / H312 | |
| Boric acid | CAS No 10043-35-3 | 1 - < 5 | Carc. 1A / H350 Repr. 1B / H360FD | |
| Gallium | CAS No 7440-55-3 | 1 - < 5 | Acute Tox. 4 / H302 | |

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In case of accident or if you feel unwell, seek medical advice immediately (show the label or safety data sheet where possible). In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water. Take off immediately all contaminated clothing.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

So.Lux 7233

Version number: SDSCH 1.0

Date of compilation: 2025-03-04

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, ABC-powder, Sand

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

none

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Wear self-contained breathing apparatus

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provision of sufficient ventilation. Remove persons to safety. Remove unequipped persons.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Personal protective equipment: see section 8. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not

So.Lux 7233

Version number: SDSCH 1.0

Date of compilation: 2025-03-04

dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits. Store at temperatures not exceeding 25 °C.

Consideration of other advice

- Packaging compatibilities

Keep only in original container. Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Plastic packaging.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent | CAS No | Notation | Identifier | TWA [ppm] | TWA [mg/m ³] | STEL [ppm] | STEL [mg/m ³] | Ceiling-C [ppm] | Ceiling-C [mg/m ³] | Source |
|---------|---------------|------------|----------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|------------------|
| US | boric acid | 10043-35-3 | i | TLV® | | 2 | | 6 | | | AC-GIH® 2023 |
| US | silver | 7440-22-4 | | PEL (CA) | | 0.01 | | | | | Cal/O SHA PEL |
| US | silver | 7440-22-4 | | PEL | | 0.01 | | | | | 29 CFR 1910.1000 |
| US | silver | 7440-22-4 | df | TLV® | | 0.1 | | | | | AC-GIH® 2023 |
| US | silver | 7440-22-4 | dust | REL | | 0.01 (10 h) | | | | | NIOSH REL |
| US | copper | 7440-50-8 | dm | REL | | 1 (10 h) | | | | | NIOSH REL |
| US | copper | 7440-50-8 | dm | TLV® | | 1 | | | | | AC-GIH® 2023 |
| US | copper | 7440-50-8 | dm | PEL | | 1 | | | | | 29 CFR 1910.1000 |
| US | copper | 7440-50-8 | fume | PEL (CA) | | 0.1 | | | | | Cal/O SHA PEL |
| US | copper | 7440-50-8 | fume | REL | | 0.1 (10 h) | | | | | NIOSH REL |

So.Lux 7233

Version number: SDSCH 1.0

Date of compilation: 2025-03-04

| Country | Name of agent | CAS No | Notation | Identifier | TWA [ppm] | TWA [mg/m ³] | STEL [ppm] | STEL [mg/m ³] | Ceiling-C [ppm] | Ceiling-C [mg/m ³] | Source |
|---------|---------------|-----------|-------------------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|------------------|
| US | copper | 7440-50-8 | fume | TLV® | | 0.2 | | | | | AC-GIH® 2023 |
| US | copper | 7440-50-8 | fume | PEL | | 0.1 | | | | | 29 CFR 1910.1000 |
| US | mineral oil | 8042-47-5 | i, ex-Met-Work FI | TLV® | | 5 | | | | | AC-GIH® 2023 |

Notation

| | |
|--------------|--|
| Ceiling-C | ceiling value is a limit value above which exposure should not occur |
| df | as dust and fumes |
| dm | as dusts and mists |
| dust | as dust |
| exMetWork-FI | excluding metal working fluids |
| fume | as fume |
| i | inhalable fraction |
| STEL | short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) |
| TWA | time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) |

Relevant DNELs of components of the mixture

| Name of substance | CAS No | End-point | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
|-------------------|------------|-----------|-----------------------|------------------------------------|-------------------|----------------------------|
| Copper | 7440-50-8 | DNEL | 20 mg/m ³ | human, inhalatory | worker (industry) | acute - systemic effects |
| Copper | 7440-50-8 | DNEL | 137 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| Copper | 7440-50-8 | DNEL | 273 mg/kg bw/day | human, dermal | worker (industry) | acute - systemic effects |
| Boric acid | 10043-35-3 | DNEL | 8.3 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| Boric acid | 10043-35-3 | DNEL | 392 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |

Relevant PNECs of components of the mixture

| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
|-------------------|-----------|-----------|-----------------|-------------------|------------------------------|------------------------------|
| Copper | 7440-50-8 | PNEC | 7.8 µg/l | aquatic organisms | freshwater | short-term (single instance) |
| Copper | 7440-50-8 | PNEC | 5.2 µg/l | aquatic organisms | marine water | short-term (single instance) |
| Copper | 7440-50-8 | PNEC | 230 µg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| Copper | 7440-50-8 | PNEC | 87 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |

So.Lux 7233

Version number: SDSCH 1.0

Date of compilation: 2025-03-04

| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
|-------------------|------------|-----------|-----------------|-----------------------|------------------------------|------------------------------|
| Copper | 7440-50-8 | PNEC | 676 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| Copper | 7440-50-8 | PNEC | 65 mg/kg | terrestrial organisms | soil | short-term (single instance) |
| Boric acid | 10043-35-3 | PNEC | 2.9 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| Boric acid | 10043-35-3 | PNEC | 13.7 mg/l | aquatic organisms | water | intermittent release |
| Boric acid | 10043-35-3 | PNEC | 10 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| Boric acid | 10043-35-3 | PNEC | 5.7 mg/kg | terrestrial organisms | soil | short-term (single instance) |
| Boric acid | 10043-35-3 | PNEC | 2.9 mg/l | aquatic organisms | marine water | short-term (single instance) |

8.2 Exposure controls

Appropriate engineering controls

Provision of sufficient ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection. Follow norm EN 166.

Skin protection

Preventive skin protection (barrier creams/ointments) is recommended.

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

- Type of material

NR: natural rubber, latex, CR: chloroprene (chlorobutadiene) rubber, NBR: acrylonitrile-butadiene rubber, FKM: fluoroelastomer

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. P3 (filters at least 99,95 % of airborne particles, color code: White). Type : B (against inorganic gases and vapors, color code: Grey).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

| | |
|----------------|---------------|
| Physical state | solid (waxy) |
| Color | grey - opaque |
| Odor | odorless |

So.Lux 7233

Version number: SDSCH 1.0

Date of compilation: 2025-03-04

Other safety parameters

| | |
|---|--|
| pH (value) | not determined |
| Melting point/freezing point | 730 °C |
| Initial boiling point and boiling range | not determined |
| Flash point | not determined |
| Evaporation rate | Not determined |
| Flammability (solid, gas) | not combustible but contains combustible materials |
| Vapor pressure | 0.01 kPa at 20 °C |
| Density | See technical data sheet |
| Vapor density | not determined |
| Auto-ignition temperature | > 1,059 °C (relative self-ignition temperature for solids) |
| Viscosity | thixotropic |
| Explosive properties | none |
| Oxidizing properties | none |

9.2 Other information

Data are conclusive but not sufficient for classification.

| | |
|--|--|
| Temperature class (USA, acc. to NEC 500) | T2 (maximum permissible surface temperature on the equipment: 300°C) |
|--|--|

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Data apply to the technically active substance. Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

So.Lux 7233

Version number: SDSCH 1.0

Date of compilation: 2025-03-04

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful in contact with skin.

| Acute toxicity estimate (ATE) of components | | | |
|---|-----------|-----------------------|-------------|
| Name of substance | CAS No | Exposure route | ATE |
| White Mineral Oil | 8042-47-5 | inhalation: dust/mist | >5 mg/l/4h |
| Copper | 7440-50-8 | oral | 300 mg/kg |
| Copper | 7440-50-8 | dermal | 2,000 mg/kg |
| Gallium | 7440-55-3 | oral | 500 mg/kg |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

May cause cancer.

| IARC Monographs on the Evaluation of Carcinogenic Risks to Humans | | | |
|---|--------|----------------|--------|
| Name of substance | CAS No | Classification | Number |
| Boric acid | | 1 | |

Legend

1 Carcinogenic to humans

Reproductive toxicity

May damage the unborn child. May damage fertility.

Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

Specific target organ toxicity - single exposure

The classification criteria for this hazard class are not met.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

So.Lux 7233

Version number: SDSCH 1.0

Date of compilation: 2025-03-04

| Aquatic toxicity (acute) of components | | | | | |
|--|-----------|----------|------------|-----------------------|---------------|
| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
| White Mineral Oil | 8042-47-5 | LL50 | >100 mg/l | fish | 96 h |
| Copper | 7440-50-8 | LC50 | 193 µg/l | fish | 96 h |
| Gallium | 7440-55-3 | EC50 | 137.5 mg/l | aquatic invertebrates | 24 h |
| Gallium | 7440-55-3 | ErC50 | 58.58 mg/l | algae | 72 h |

12.2 Persistence and degradability

Biodegradation

Not readily biodegradable.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

The mixture contains substance(s) with an endocrine disrupting potential.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Assign arising waste to a waste code according to the national list of waste.

SECTION 14: Transport information

14.1 UN number

| | |
|-----------|---------|
| DOT | UN 3077 |
| IMDG-Code | UN 3077 |
| ICAO-TI | UN 3077 |

14.2 UN proper shipping name

| | |
|-----------|--|
| DOT | Environmentally hazardous substance, solid, n.o.s. |
| IMDG-Code | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. |
| ICAO-TI | Environmentally hazardous substance, solid, |

So.Lux 7233


Version number: SDSCH 1.0

Date of compilation: 2025-03-04


| | |
|--|--------------------------------------|
| | n.o.s. |
| Technical name (hazardous ingredients) | Copper, Silver (< 1 mm) |
| 14.3 Transport hazard class(es) | |
| DOT | 9 |
| IMDG-Code | 9 |
| ICAO-TI | 9 |
| 14.4 Packing group | |
| DOT | III |
| IMDG-Code | III |
| ICAO-TI | III |
| 14.5 Environmental hazards | hazardous to the aquatic environment |
| Environmentally hazardous substance (aquatic environment) | Copper, Silver (< 1 mm) |
| 14.6 Special precautions for user | |
| There is no additional information. | |
| 14.7 Transport in bulk according to IMO instruments | |
| The cargo is not intended to be carried in bulk. | |

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

| | |
|---|---|
| Particulars in the shipper's declaration | UN3077, Environmentally hazardous substance, solid, n.o.s., (contains: Copper, Silver (< 1 mm)), 9, III |
| Reportable quantity (RQ) | 11.66 lbs (5.291 kg) (Silver (< 1 mm))(Copper) |
| Danger label(s) | 9, fish and tree |
|  | |
| Environmental hazards | yes (hazardous to the aquatic environment) |
| Special provisions (SP) | 8, 146, 335, 384, 441, A112, B54, B120, IB8, IP3, N20, N91, T1, TP33 |
| ERG No | 171 |

International Maritime Dangerous Goods Code (IMDG) - Additional information

| | |
|---|---|
| Marine pollutant | yes (hazardous to the aquatic environment) (Copper) |
| Danger label(s) | 9, fish and tree |
|  | |
| Special provisions (SP) | 274, 335, 966, 967, 969 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 kg |
| EmS | F-A, S-F |
| Stowage category | A |

So.Lux 7233

Version number: SDSCH 1.0

Date of compilation: 2025-03-04

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Environmental hazards YES (hazardous to the aquatic environment)

Danger label(s) 9, fish and tree



Special provisions (SP) A97, A158, A179, A197, A215

Excepted quantities (EQ) E1

Limited quantities (LQ) 30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

| Toxics Release Inventory: Specific Toxic Chemical Listings | | | |
|--|-----------|---------|----------------|
| Name of substance | CAS No | Remarks | Effective date |
| Copper | 7440-50-8 | | 1987-01-01 |

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

| Name of substance | CAS No | Remarks | Statutory code | Final RQ pounds (Kg) |
|-------------------|-----------|---------|----------------|----------------------|
| Copper | 7440-50-8 | [4] | 2 | 5000 (2270) |

Legend

2 "2" indicates that the source is section 307(a) of the Clean Water Act

[4] No reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is larger than 100 micrometers (0.004 inches).

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

| Name of substance | CAS No | Functionality | Authoritative Lists |
|-------------------|------------|---------------|--|
| Copper | 7440-50-8 | | CWA 303(c) CWA 303(d) OEHHA RELs |
| Boric acid | 10043-35-3 | | EC Annex VI CMRs - Cat. 1B |

So.Lux 7233

Version number: SDSCH 1.0

Date of compilation: 2025-03-04

- Toxic or Hazardous Substance List (MA-TURA)

| Name of substance | CAS No | DEP CODE | PBT / HHS / LHS | PBT / HHS Threshold | De Minimis Concentration Threshold |
|-------------------|-----------|----------|-----------------|---------------------|------------------------------------|
| Copper | 7440-50-8 | | | | 1.0 % |
| Copper | | 1015 | | | 1.0 % |

- Hazardous Substances List (MN-ERTK)

| Name of substance | CAS No | References | Remarks |
|-------------------|-----------|------------|--------------|
| Boric acid | | A | fume |
| Copper | 7440-50-8 | A, O | dust mist |
| Copper | 7440-50-8 | A, O | fume |
| Gallium | 7440-55-3 | N, * | |

Legend

- * Substances which are regulated by OSHA as carcinogens; have been categorized by the ACGIH as either "human carcinogens" or "suspect of carcinogenic potential for man"; have been evaluated by the International Agency for Research on Cancer (IARC) and found to be carcinogens or potential carcinogens; or have been listed as a carcinogen or potential carcinogen in the Annual Report on Carcinogens published by the National Toxicology Program (NTP).
- A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH
- dust If the substance poses an airborne particulate exposure hazard, the substance is followed by the word "dust."
- fume Small solid particles formed by the condensation of vapors of solid materials.
- N National Institute for Occupational Safety and Health (NIOSH), "Recommendations for Occupational Safety and Health Standards," August 1988, available from NIOSH, Publications Dissemination Office, Division of Standards Development and Technology Transfer
- O Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

- Hazardous Substance List (NJ-RTK)

| Name of substance | CAS No | Remarks | Classifications |
|-------------------|-----------|---------|-----------------|
| Copper | 7440-50-8 | | |
| Gallium | 7440-55-3 | | CO |

Legend

- CO Corrosive

- Hazardous Substance List (Chapter 323) (PA-RTK)

| Name acc. to inventory | CAS No | Classification |
|------------------------|--------|----------------|
| WELDING FUMES | | |

- Hazardous Substance List (RI-RTK)

| Name of substance | CAS No | References |
|-------------------|-----------|------------|
| Boric acid | | T |
| Copper | 7440-50-8 | T |

Legend

- T Toxicity (ACGIH®)

So.Lux 7233

Version number: SDSCH 1.0

Date of compilation: 2025-03-04

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

| Category | Rating | Description |
|---------------------|--------|--|
| Chronic | * | chronic (long-term) health effects may result from repeated overexposure |
| Health | 0 | no significant risk to health |
| Flammability | 1 | material that must be preheated before ignition can occur |
| Physical hazard | 0 | material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive |
| Personal protection | - | |

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

| Category | Degree of hazard | Description |
|----------------|------------------|---|
| Flammability | 1 | material that must be preheated before ignition can occur |
| Health | 0 | material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material |
| Instability | 0 | material that is normally stable, even under fire conditions |
| Special hazard | | |

National inventories

| Country | Inventory | Status |
|---------|------------|----------------------------|
| EU | REACH Reg. | all ingredients are listed |

Legend

REACH Reg. REACH registered substances

15.2 Chemical Safety Assessment

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|------------------|--|
| 29 CFR 1910.1000 | 29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits) |
| 49 CFR US DOT | 49 CFR U.S. Department of Transportation |
| ACGIH® | American Conference of Governmental Industrial Hygienists |
| ACGIH® 2023 | From ACGIH®, 2023 TLVs® and BEIs® Book. Copyright 2023. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement |
| Acute Tox. | Acute toxicity |

So.Lux 7233

Version number: SDSCH 1.0

Date of compilation: 2025-03-04

| Abbr. | Descriptions of used abbreviations |
|----------------|--|
| Asp. Tox. | Aspiration hazard |
| ATE | Acute Toxicity Estimate |
| Cal/OSHA PEL | California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs) |
| Carc. | Carcinogenicity |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| DEP CODE | Department of Environmental Protection Code |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| DOT | Department of Transportation (USA) |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| ED | Endocrine disruptor |
| EmS | Emergency Schedule |
| ErC50 | ≙ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| ERG No | Emergency Response Guidebook - Number |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| HHS | Higher hazard substance |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LHS | Lower hazard substance |
| LL50 | Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality |
| NIOSH REL | National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs) |
| NPCA-HMIS® III | National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition |
| OSHA | Occupational Safety and Health Administration (United States) |
| PBT | Persistent, Bioaccumulative and Toxic |
| PEL | Permissible exposure limit |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| Repr. | Reproductive toxicity |
| RTECS | Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information) |
| STEL | Short-term exposure limit |

So.Lux 7233

Version number: SDSCH 1.0

Date of compilation: 2025-03-04

| Abbr. | Descriptions of used abbreviations |
|-------|--|
| TLV® | Threshold Limit Values |
| TWA | Time-weighted average |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IM-DG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|--------|--|
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H312 | Harmful in contact with skin. |
| H350 | May cause cancer. |
| H360FD | May damage fertility. May damage the unborn child. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.